

---

**ESTIMATE FOR CUSTOM DRAPERY**

**Date:** \_\_\_\_\_  
**Project:** \_\_\_\_\_

**Customer Contact Information**

Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_  
State: \_\_\_\_\_  
Zip: \_\_\_\_\_  
Contact: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Fax: \_\_\_\_\_  
Email: \_\_\_\_\_

**Product Requirements**

**1. QUANTITY:** \_\_\_\_\_

**2. DIMENSIONS**

NOTE: If multiple size curtains are required, please fill out a form for each size required.

- A. Desired Width (side to side): \_\_\_\_\_
- B. Desired Height (top edge to bottom edge): \_\_\_\_\_

**3. FABRICS (please refer to color chart at [www.cascadeaudio.com](http://www.cascadeaudio.com))**

- A. Face (front): \_\_\_\_\_
- B. Lining (back): \_\_\_\_\_

**4. FULLNESS (optional)**

The ratio of the total fabric used to the finished width of a drapery. The fuller the drapery, the smaller the spaces between each pleat.

**Example:** A curtain rod is 71" wide. A curtain for this rod with 1.5 times fullness is figured like this... (71" x 1.5 = 106.50" total width)

Please specify fullness required: \_\_\_\_\_

**5. RETURNS (optional)**

A drapery term, the drapery RETURNS to the wall. It is the section of a drapery, valances or top treatment that folds back and covers the hardware, as well as any under treatment. It is the space from the last pleat to the finished edge of the drapery and requires a minimum 1-1/2 return to allow for the side hems.

Please specify size of return required: \_\_\_\_\_

**6. HANGING METHOD (choose one)**

**A. Grommets (Choose color and spacing)**

NOTE: Standard size is 3/8" interior diameter

NOTE: Center of grommet is located 1.5" from top edge of curtain

Brass: \_\_\_\_\_

Black: \_\_\_\_\_

Silver: \_\_\_\_\_

Spacing (required): \_\_\_\_\_ inches on center (6" standard)

**B. Curtain Hooks**

NOTE: Curtain hooks are installed so that 1/2" is exposed above top edge of drape.

Spacing (required): \_\_\_\_\_ inches on center (6" standard)

**C. Loops**

NOTE: Loops are sewn from fabric used to create front panel. (See 3A)

Length of loop (measure from top of curtain panel): \_\_\_\_\_

Spacing (required): \_\_\_\_\_ inches on center (6" standard)

**7. SEAMS**

All seams are vertical unless otherwise specified.

**8. CORE**

All SS-AD Acoustical Drapes will feature wool core material. The core material will stop 2" above the bottom hem.

**9. ACCESSORIES (optional)**

**A. Tie backs (made from face fabric only): yes / no**

Quantity: \_\_\_\_\_

Length: \_\_\_\_\_

NOTE: Tie backs feature 3/8" grommets at ends

**10. FOLD BACK ON LEADING EDGE (optional)**

If yes then please specify width of fold back in inches (1.5" standard): \_\_\_\_\_

**11. PLEATS (optional)**

Flat Pleat (only type available): yes / no

**12. COMMENTS**

---



---



---



---



---



---

**13. ESTIMATE** (*office use only*)

Curtain width (final based on options): \_\_\_\_\_

Curtain height (final): \_\_\_\_\_

Cost per square foot: \_\_\_\_\_

Square feet required: \_\_\_\_\_

Curtain Cost: \_\_\_\_\_

Lead time: \_\_\_\_\_

Quoted by: \_\_\_\_\_

NOTE: Price quotes are good for 30 days from date of quote.

IMPORTANT: These products are custom made and not returnable.

Please copy form, fill in as much information as you can and fax your request to Cascade Audio Engineering. Our sewing department will process your request and fax you a quote. Please make sure to fill out the contact information completely in case we should have any questions or comments regarding this design.

Thank you,

Cascade Audio Engineering  
64894 Old Bend Redmond Hwy  
Bend, Oregon 97701  
Phone / 541-389-6821  
Fax / 541-389-5273  
Email / [sales@cascadeaudio.com](mailto:sales@cascadeaudio.com)

